

RockSolid Floors
Pro Coatings System Limited Lifetime Residential Material Warranty

Structure: _____ Address: _____

Owner: _____

Specification: _____

Date of Completion of Application: ____/____/____ Project Installer

Rock Solid Floors (hereinafter referred to as “Rock Solid Floors”), a Minnesota Corporation, represents and warrants that the materials manufactured by or for Rock Solid Floors and bearing the Rock Solid Floors’ label used in the installation of your project are free of defects at the time of sale.

The materials have been cured and tested in accordance with the standard Quality Control Procedures. When installed by an Rock Solid Floors’ applicator, the materials are warranted for the lifetime of the original purchaser against any abnormal yellowing, fading or color change of the clear sealer due to the effects of UV sunlight or overhead lighting and for pro-rated ten (10) years after installation against failures to bond to the concrete, peeling, flaking, chipping or excess wear and excessive loss of gloss of the clear sealer.

This warranty is applicable to residential garage floor applications only and is dependent on the following conditions:

1. This warranty does not apply to any damages to the coating by physical abuse, failure of the structure or substrate, vandalism, modifications to the substrate the coating is being applied, mechanical impact damage, exposure to heat or flame, exposure to solvents and acids, windstorms, lightning, nails, screws, plant life, animal life, abuse of owners personal, or any other acts of God.
2. This warranty does not apply to damage due to gouging and other extensive damage beyond the scope and protections of the system applied, including impact and abrasion other than that for which the system was designed.
3. This warranty does not apply to damage caused by a hydrostatic water problem, moisture vapor permeating the concrete slab, or exposure to either battery acid or brake fluid.
4. This warranty does not apply to delamination caused by improper substrate condition, or an internal failure of the substrate.
5. This warranty does not apply to damage caused by cracks in the substrate prior to or occurring after the installation of the floor coating system that appear from ground shift and expansion/contraction of the substrate, cracking due to substrate movement is not under warranty regardless of whether same was repaired during original installation or not. There is no warranty for cracks or crack repair. Areas repaired under this warranty may vary in color and texture from areas originally installed which are not repaired. This limited warranty shall not apply in the case of improper substrate construction, exposure of the products to solvents and/or higher concentrations of acids other than that moisture from within, under or adjacent to the concrete surface.
6. Rock Solid Floors’ products must be applied on a properly prepared surface in accordance with standard Rock Solid Floors’ product specifications and application procedures. Proper concrete surface preparation is achieved by mechanical grinding machines or safe etch acid that remove all previous coatings, sealers, laitance, efflorescence, water repellants, curing compounds, oils, grease, fats, waxes, non-visible soluble salts and any other impediments to adhesion. The resulting receiving surface must have a profile of 20 to 80 grit, a neutral pH of 7 and not exceed 3 pounds of moisture evaporation over 24 hours per 1,000 sq.ft. using the calcium chloride test.
7. This warranty does not extend to labor costs for inspection, testing or repair of the Rock Solid Floors’ coatings system or any other labor costs.
8. This warranty does not cover changes or oxidation of the coating as a result of normal weathering or atmosphere conditions.
9. Rock Solid Floors will not be liable for consequential or incidental damages of any kind including but not limited to damages to the structure or its contents resulting from defects in Rock Solid Floors’ coating system. The obligation assumed under this warranty is expressly limited to providing such materials, as provided herein, required to repair any defects covered under this warranty agreement.
10. Rock Solid Floors’ responsibilities under this warranty agreement cease if any alterations additions or repairs (excluding emergency repairs) are made except in accordance with specific written instructions from Rock Solid Floors.

11. Any notice of claimed defect in Rock Solid Floors' materials shall be sent in writing by certified mail, return receipt requested, to Rock Solid Floors, attention Warranty Department, located at 3001 103rd Lane, NE Blaine, MN, 55449. Failure to notify Rock Solid Floors in writing as provided above of any such claimed defects within 30 days of discovery of the claimed defect shall void the warranty claim.
12. Purchaser shall allow Rock Solid Floors or Rock Solid Floors' representative up to thirty (30) days to inspect and provide replacement materials under this warranty. Rock Solid Floors may at its request require photographs, invoice copies or other information about the claimed coating failure.
13. This warranty becomes effective only upon payment in full to Rock Solid Floors for all outstanding charges relating to this project and this warranty form is filled out and returned to Rock Solid Floors, attention Warranty Department, located at 3001 103rd Lane, NE Blaine, MN, 55449 within thirty (30) day's of the completed project;

LIMITATIONS

ROCK SOLID FLOORS, PRODUCTS AND THE INSTALLATION ARE SOLD SUBJECT TO THE EXPRESS LIMITED WARRANTIES CONTAINED HEREIN, THE LIABILITY OF ROCK SOLID FLOORS WHETHER BASED ON THIS WARRANTY, CONTRACT OR OTHERWISE, SHALL IN NO CASE EXCEED THE PURCHASE PRICE FOR THE PRODUCT AND DOES NOT INCLUDE INCIDENTAL OR CONSEQUENTIAL DAMAGES, (SUCH AS BUT NOT LIMITED TO DAMAGE TO OR LOSS OF USE OF THE GARAGE OR ITS CONTENTS OR SURROUNDINGS OR LOSS OF USE OR TIME AND INCONVENIENCE).

ROCK SOLID FLOORS MAKES NO WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO PRODUCTS OR THE INSTALLATION, INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OR MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE WHICH WARRANTIES ARE HEREBY EXPRESSLY DISCLAIMED AND EXCLUDED. SHOULD ANY REPAIR BE NEEDED, THIS WARRANTY IS LIMITED TO THE REPLACEMENT OF THE SYSTEM MATERIALS WHICH HAVE FAILED AND SPECIFICALLY EXCLUDES, WITHOUT LIMITATION, BODILY INJURY, LOSS OR USE OF PROPERTY, CONSEQUENTIAL DAMAGES AND PROPERTY DAMAGED AS A RESULT OF SUCH FAILURE, ROCK SOLID FLOORS SHALL SUPPLY ALL NECESSARY MATERIALS FOR REPAIRS MADE UNDER THIS WARRANTY, THE AUTHORIZED INSTALLER HEREBY EXPRESSLY WAIVES ANY CLAIM TO ADDITIONAL DAMAGES OR RIGHTS OF SUBROGATION AGAINST ROCK SOLID FLOORS

ANY DESCRIPTION OF THE GOODS CONTAINED IN THIS AGREEMENT OR MADE THE BASIS OF THIS AGREEMENT IS FOR THE SOLE PURPOSE OF IDENTIFYING THE GOODS, AND NO DESCRIPTION OF THE GOODS HAS BEEN MADE PART OF THE BASIS OF THE BARGAIN OR HAS CREATED AN EXPRESS WARRANTY THAT THE GOODS WOULD CONFORM TO ANY DESCRIPTION MADE BY SELLER. NO SAMPLE OR MODEL HAS BEEN MADE PART OF THE BASIS OF THIS AGREEMENT OR HAS CREATED OR AMOUNTED TO AN EXPRESS WARRANTY THAT THE GOODS WOULD CONFORM TO ANY SAMPLE OR MODEL EXHIBITED BY SELLER.

This warranty does not apply to salt-water applications or applications in which the coating is exposed to corrosive chemicals. The warranty does not apply to decks or pressure treated lumber or bathroom showers or tubs. The warranty does not apply to improper subsurface conditions such as rotten wood, improper concrete mixes and similar conditions which would cause lack of adhesion are also not covered under this warranty.

Rock Solid Floors does not warrant that the coating system will create a slip resistant surface. The surface may become slippery under certain conditions including but not limited to exposure to wet, oily or greasy conditions. In no event shall Rock Solid Floors, be responsible for injury incurred in a slip and fall occurrence. It is the purchaser's responsibility to provide for their own safety and the safety of their guests and invitees.

This warranty is granted to the original purchaser or end-user and is not transferable to any other party nor to a subsequent purchaser of the property.

This Limited Material Warranty will be effective pending the acceptance of the installed system by all parties, and after all paperwork and payment requirements have been met. This Material Limited Warranty supersedes any and all other warranties or representations whether written or oral, hereto made between the parties.

This executed Material Limited Warranty Agreement, along with proof of payment to an authorized Rock Solid Floors' installer, shall be returned to Rock Solid Floors, attention Warranty Department, located at 3001 103rd Lane, NE Blaine, MN, 55449, within 30 days of acceptance of the installed coating system.

Purchaser Acknowledgement:

Received, Read & Acknowledged by:

By: _____ Date: _____

Installer Acknowledgement:

Received, Read & Acknowledged by:

RockSolid Floors installer:

Signature: _____

By: _____ Date: _____



Job Site Checklist For Warranty

Job Information

Company Name: _____

Installers Name: _____

Date Installed: _____

Materials Used: _____	BATCH#: _____	LOT#: _____
_____	BATCH#: _____	LOT#: _____
_____	BATCH#: _____	LOT#: _____
_____	BATCH#: _____	LOT#: _____
_____	BATCH#: _____	LOT#: _____
_____	BATCH#: _____	LOT#: _____
_____	BATCH#: _____	LOT#: _____

Customer Name: _____

Address of Installation: _____

City: _____ State: _____ Zip: _____

Job Description

Condition of Existing Concrete (Describe):

Coated Area (sq. ft.): _____ Verticals (sq. ft.): _____ Steps:(Yes/No) _____

Floor Prep Time (Minutes): _____ (Including crack fill, spall repair, ect.)

Coating Time (Minutes): _____ (From mixing to top coat)

Average Air Temperature During Application: _____ (Degrees)

Moisture Test Reading: _____

Additional Comments:

Citadel Floor Finishing Systems
Coatings System – Residential Life Time Limited Material Warranty

Structure: _____ Address: _____

Owner: _____

Specification: _____

Date of Completion of Application: ____/____/____ Project Installer

Citadel Restoration and Repair, Inc. D/B/A Citadel Floor Finishing Systems (hereinafter referred to as “Citadel Floor Finishing Systems”), a Minnesota Corporation, represents and warrants that the materials manufactured by or for Citadel Floor Finishing Systems and bearing the Citadel Floor Finishing Systems’ label used in the installation of your project are free of defects at the time of sale.

The materials have been cured and tested in accordance with the standard Quality Control Procedures. When installed by an authorized Citadel Floor Finishing Systems’ applicator, the materials are warranted for the lifetime of the original purchaser against any abnormal yellowing, fading or color change of the clear sealer due to the effects of UV sunlight or overhead lighting and for pro-rated twenty (20) years after installation against failures to bond to the concrete, peeling, flaking, chipping or excess wear and excessive loss of gloss of the clear sealer. Customers may call Citadel Floor Finishing Systems’ at 1-866-765-4310 to confirm an applicator’s status as an authorized Citadel Floor Finishing Systems applicator.

This warranty is applicable to residential garage floor applications only and is dependent on the following conditions:

1. This warranty does not apply to any damages to the coating by physical abuse, failure of the structure or substrate, vandalism, modifications to the substrate the coating is being applied, mechanical impact damage, exposure to heat or flame, exposure to solvents and acids, windstorms, lightning, nails, screws, plant life, animal life, abuse of owners personal, or any other acts of God.
2. This warranty does not apply to damage due to gouging and other extensive damage beyond the scope and protections of the system applied, including impact and abrasion other than that for which the system was designed.
3. This warranty does not apply to damage caused by a hydrostatic water problem, moisture vapor permeating the concrete slab, or exposure to either battery acid or brake fluid.
4. This warranty does not apply to delamination caused by improper substrate condition, or an internal failure of the substrate.
5. This warranty does not apply to damage caused by cracks in the substrate prior to or occurring after the installation of the floor coating system that appear from ground shift and expansion/contraction of the substrate, cracking due to substrate movement is not under warranty regardless of whether same was repaired during original installation or not. There is no warranty for cracks or crack repair. Areas repaired under this warranty may vary in color and texture from areas originally installed which are not repaired. This limited warranty shall not apply in the case of improper substrate construction, exposure of the products to solvents and/or higher concentrations of acids other than that moisture from within, under or adjacent to the concrete surface.
6. Citadel Floor Finishing Systems’ products must be applied by an authorized Citadel Floor Systems’ installer on a properly prepared surface in accordance with standard Citadel Floor Finishing Systems’ product specifications and application procedures. Proper concrete surface preparation is achieved by mechanical grinding machines that remove all previous coatings, sealers, laitance, efflorescence, water repellants, curing compounds, oils, grease, fats, waxes, non-visible soluble salts and any other impediments to adhesion. The resulting receiving surface must have a profile of 20 to 80 grit, a neutral pH of 7 and not exceed 3 pounds of moisture evaporation over 24 hours per 1,000 sq.ft. using the calcium chloride test.
7. This warranty does not extend to labor costs for inspection, testing or repair of the Citadel Floor Finishing Systems’ coatings system or any other labor costs.
8. This warranty does not cover changes or oxidation of the coating as a result of normal weathering or atmosphere conditions.
9. Citadel Floor Finishing Systems will not be liable for consequential or incidental damages of any kind including but not limited to damages to the structure or its contents resulting from defects in Citadel Floor Finishing Systems’ coating system. The obligation assumed under this warranty is expressly limited to providing such materials, as provided herein, required to repair any defects covered under this warranty agreement.
10. Citadel Floor Finishing Systems’ responsibilities under this warranty agreement cease if any alterations additions or repairs (excluding emergency repairs) are made except in accordance with specific written instructions from Citadel Floor Finishing Systems.

11. Any notice of claimed defect in Citadel Floor Finishing Systems' materials shall be sent in writing by certified mail, return receipt requested, to Citadel Floor Finishing Systems, attention Warranty Department, located at 3001 103rd Lane, NE Blaine, MN, 55449. Failure to notify Citadel Floor Finishing Systems in writing as provided above of any such claimed defects within 30 days of discovery of the claimed defect shall void the warranty claim.
12. Purchaser shall allow Citadel Floor Finishing Systems or Citadel Floor Finishing Systems' representative up to thirty (30) days to inspect and provide replacement materials under this warranty. Citadel Floor Finishing Systems may at its request require photographs, invoice copies or other information about the claimed coating failure.
13. This warranty becomes effective only upon payment in full to Citadel Floor Finishing Systems for all outstanding charges relating to this project and this warranty form is filled out and returned to Citadel Floor Finishing Systems, attention Warranty Department, located at 3001 103rd Lane, NE Blaine, MN, 55449 within thirty (30) day's of the completed project;

LIMITATIONS

CITADEL FLOOR FINISHING SYSTEMS, PRODUCTS AND THE INSTALLATION ARE SOLD SUBJECT TO THE EXPRESS LIMITED WARRANTIES CONTAINED HEREIN, THE LIABILITY OF CITADEL FLOOR FINISHING SYSTEMS WHETHER BASED ON THIS WARRANTY, CONTRACT OR OTHERWISE, SHALL IN NO CASE EXCEED THE PURCHASE PRICE FOR THE PRODUCT AND DOES NOT INCLUDE INCIDENTAL OR CONSEQUENTIAL DAMAGES,(SUCH AS BUT NOT LIMITED TO DAMAGE TO OR LOSS OF USE OF THE GARAGE OR ITS CONTENTS OR SURROUNDINGS OR LOSS OF USE OR TIME AND INCONVENIENCE).

CITADEL FLOOR FINISHING SYSTEMS MAKES NO WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO PRODUCTS OR THE INSTALLATION, INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OR MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE WHICH WARRANTIES ARE HEREBY EXPRESSLY DISCLAIMED AND EXCLUDED. SHOULD ANY REPAIR BE NEEDED, THIS WARRANTY IS LIMITED TO THE REPLACEMENT OF THE SYSTEM MATERIALS WHICH HAVE FAILED AND SPECIFICALLY EXCLUDES, WITHOUT LIMITATION, BODILY INJURY, LOSS OR USE OF PROPERTY, CONSEQUENTIAL DAMAGES AND PROPERTY DAMAGED AS A RESULT OF SUCH FAILURE, CITADEL FLOOR FINISHING SYSTEMS SHALL SUPPLY ALL NECESSARY MATERIALS FOR REPAIRS MADE UNDER THIS WARRANTY, THE AUTHORIZED INSTALLER HEREBY EXPRESSLY WAIVES ANY CLAIM TO ADDITIONAL DAMAGES OR RIGHTS OF SUBROGATION AGAINST CITADEL FLOOR FINISHING SYSTEMS

ANY DESCRIPTION OF THE GOODS CONTAINED IN THIS AGREEMENT OR MADE THE BASIS OF THIS AGREEMENT IS FOR THE SOLE PURPOSE OF IDENTIFYING THE GOODS, AND NO DESCRIPTION OF THE GOODS HAS BEEN MADE PART OF THE BASIS OF THE BARGAIN OR HAS CREATED AN EXPRESS WARRANTY THAT THE GOODS WOULD CONFORM TO ANY DESCRIPTION MADE BY SELLER. NO SAMPLE OR MODEL HAS BEEN MADE PART OF THE BASIS OF THIS AGREEMENT OR HAS CREATED OR AMOUNTED TO AN EXPRESS WARRANTY THAT THE GOODS WOULD CONFORM TO ANY SAMPLE OR MODEL EXHIBITED BY SELLER.

This warranty does not apply to salt-water applications or applications in which the coating is exposed to corrosive chemicals. The warranty does not apply to decks or pressure treated lumber or bathroom showers or tubs. The warranty does not apply to improper subsurface conditions such as rotten wood, improper concrete mixes and similar conditions which would cause lack of adhesion are also not covered under this warranty.

Citadel Floor Finishing Systems does not warrant that the coating system will create a slip resistant surface. The surface may become slippery under certain conditions including but not limited to exposure to wet, oily or greasy conditions. In no event shall Citadel Floor Finishing Systems, be responsible for injury incurred in a slip and fall occurrence. It is the purchaser's responsibility to provide for their own safety and the safety of their guests and invitees.

This warranty is granted to the original purchaser or end-user and is not transferable to any other party nor to a subsequent purchaser of the property.

This Limited Material Warranty will be effective pending the acceptance of the installed system by all parties, and after all paperwork and payment requirements have been met. This Material Limited Warranty supersedes any and all other warranties or representations whether written or oral, hereto made between the parties.

This executed Material Limited Warranty Agreement, along with proof of payment to an authorized Citadel Floor Finishing Systems' installer, shall be returned to Citadel Floor Finishing Systems, attention Warranty Department, located at 3001 103rd Lane, NE Blaine, MN, 55449, within 30 days of acceptance of the installed coating system.

Purchaser Acknowledgement:

Received, Read & Acknowledged by:

By: _____ Date: _____

Installer Acknowledgement:

Received, Read & Acknowledged by:

Authorized Citdael Floor Finishing Systems installer:

Singanture: _____

By: _____ Date: _____



Job Site Checklist For Warranty

Job Information

Company Name: _____

Installers Name: _____

Date Installed: _____

Materials Used: _____	BATCH#: _____	LOT#: _____
_____	BATCH#: _____	LOT#: _____
_____	BATCH#: _____	LOT#: _____
_____	BATCH#: _____	LOT#: _____
_____	BATCH#: _____	LOT#: _____
_____	BATCH#: _____	LOT#: _____
_____	BATCH#: _____	LOT#: _____

Customer Name: _____

Address of Installation: _____

City: _____ State: _____ Zip: _____

Job Description

Condition of Existing Concrete (Describe):

Coated Area (sq. ft.): _____ Verticals (sq. ft.): _____ Steps: (Yes/No) _____

Floor Prep Time (Minutes): _____ (Including crack fill, spall repair, ect.)

Coating Time (Minutes): _____ (From mixing to top coat)

Average Air Temperature During Application: _____ (Degrees)

Moisture Test Reading: _____

Additional Comments:



Citadel Floor Finishing Systems
Coatings System – 5 Year Commercial Limited Material Warranty

Structure: _____ Address: _____

Owner: _____

Specification: _____

Date of Completion of Application: ____/____/____ Project Installer

Citadel Restoration and Repair, Inc. D/B/A Citadel Floor Finishing Systems (hereinafter referred to as “Citadel Floor Finishing Systems”), a Minnesota Corporation, represents and warrants that the materials manufactured by or for Citadel Floor Finishing Systems and bearing the Citadel Floor Finishing Systems’ label used in the installation of your project are free of defects at the time of sale.

The materials have been cured and tested in accordance with the standard Quality Control Procedures. When installed by an authorized Citadel Floor Finishing Systems’ applicator, the materials are warranted for 5 years. Citadel Floor Finishing Systems sole liability is limited to replacement of any product shown to be otherwise than as warranted within the five year period from the data of the application. This warranty is depended on the following conditions.

1. This warranty does not apply to any damages to the coating by physical abuse, failure of the structure or substrate, vandalism, modifications to the substrate the coating is being applied, mechanical impact damage, exposure to heat or flame, exposure to solvents and acids, windstorms, lightning, nails, screws, plant life, animal life, abuse of owners personal, or any other acts of God.
2. This warranty does not apply to damage due to gouging and other extensive damage beyond the scope and protections of the system applied, including impact and abrasion other than that for which the system was designed.
3. This warranty does not apply to damage caused by a hydrostatic water problem, moisture vapor permeating the concrete slab, or exposure to either battery acid or brake fluid.
4. This warranty does not apply to delamination caused by improper substrate condition, or an internal failure of the substrate.
5. This warranty does not apply to damage caused by cracks in the substrate prior to or occurring after the installation of the floor coating system that appear from ground shift and expansion/contraction of the substrate, cracking due to substrate movement is not under warranty regardless of whether same was repaired during original installation or not. There is no warranty for cracks or crack repair. Areas repaired under this warranty may vary in color and texture from areas originally installed which are not repaired. This limited warranty shall not apply in the case of improper substrate construction, exposure of the products to solvents and/or higher concentrations of acids other than that moisture from within, under or adjacent to the concrete surface.
6. Citadel Floor Finishing Systems’ products must be applied by an authorized Citadel Floor Systems’ installer on a properly prepared surface in accordance with standard Citadel Floor Finishing Systems’ product specifications and application procedures. Proper concrete surface preparation is achieved by mechanical grinding machines that remove all previous coatings, sealers, laitance, efflorescence, water repellants, curing compounds, oils, grease, fats, waxes, non-visible soluble salts and any other impediments to adhesion. The resulting receiving surface must have a profile of 20 to 80 grit, a neutral pH of 7 and not exceed 3 pounds of moisture evaporation over 24 hours per 1,000 sq.ft. using the calcium chloride test.
7. This warranty does not extend to labor costs for inspection, testing or repair of the Citadel Floor Finishing Systems’ coatings system or any other labor costs.
8. This warranty does not cover changes or oxidation of the coating as a result of normal weathering or atmosphere conditions.
9. Citadel Floor Finishing Systems will not be liable for consequential or incidental damages of any kind including but not limited to damages to the structure or its contents resulting from defects in Citadel Floor Finishing Systems’ coating system. The obligation assumed under this warranty is expressly limited to providing such materials, as provided herein, required to repair any defects covered under this warranty agreement.
10. Citadel Floor Finishing Systems’ responsibilities under this warranty agreement cease if any alterations additions or repairs (excluding emergency repairs) are made except in accordance with specific written instructions from Citadel Floor Finishing Systems.

11. Any notice of claimed defect in Citadel Floor Finishing Systems' materials shall be sent in writing by certified mail, return receipt requested, to Citadel Floor Finishing Systems, attention Warranty Department, located at 3001 103rd Lane, NE Blaine, MN, 55449. Failure to notify Citadel Floor Finishing Systems in writing as provided above of any such claimed defects within 30 days of discovery of the claimed defect shall void the warranty claim.
12. Purchaser shall allow Citadel Floor Finishing Systems or Citadel Floor Finishing Systems' representative up to sixty (60) days to inspect and provide replacement materials under this warranty. Citadel Floor Finishing Systems may at its request require photographs, invoice copies or other information about the claimed coating failure.
13. This warranty becomes effective only upon payment in full to Citadel Floor Finishing Systems for all outstanding charges relating to this project and this warranty form is filled out and returned to Citadel Floor Finishing Systems, attention Warranty Department, located at 3001 103rd Lane, NE Blaine, MN, 55449 within fourteen (14) day's of the completed project;

LIMITATIONS

CITADEL FLOOR FINISHING SYSTEMS, PRODUCTS AND THE INSTALLATION ARE SOLD SUBJECT TO THE EXPRESS LIMITED WARRANTIES CONTAINED HEREIN, THE LIABILITY OF CITADEL FLOOR FINISHING SYSTEMS WHETHER BASED ON THIS WARRANTY, CONTRACT OR OTHERWISE, SHALL IN NO CASE EXCEED THE PURCHASE PRICE FOR THE PRODUCT AND DOES NOT INCLUDE INCIDENTAL OR CONSEQUENTIAL DAMAGES,(SUCH AS BUT NOT LIMITED TO DAMAGE TO OR LOSS OF USE OF THE GARAGE OR ITS CONTENTS OR SURROUNDINGS OR LOSS OF USE OR TIME AND INCONVENIENCE).

CITADEL FLOOR FINISHING SYSTEMS MAKES NO WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO PRODUCTS OR THE INSTALLATION, INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OR MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE WHICH WARRANTIES ARE HEREBY EXPRESSLY DISCLAIMED AND EXCLUDED. SHOULD ANY REPAIR BE NEEDED, THIS WARRANTY IS LIMITED TO THE REPLACEMENT OF THE SYSTEM MATERIALS WHICH HAVE FAILED AND SPECIFICALLY EXCLUDES, WITHOUT LIMITATION, BODILY INJURY, LOSS OR USE OF PROPERTY, CONSEQUENTIAL DAMAGES AND PROPERTY DAMAGED AS A RESULT OF SUCH FAILURE, CITADEL FLOOR FINISHING SYSTEMS SHALL SUPPLY ALL NECESSARY MATERIALS FOR REPAIRS MADE UNDER THIS WARRANTY, THE AUTHORIZED INSTALLER HEREBY EXPRESSLY WAIVES ANY CLAIM TO ADDITIONAL DAMAGES OR RIGHTS OF SUBROGATION AGAINST CITADEL FLOOR FINISHING SYSTEMS

ANY DESCRIPTION OF THE GOODS CONTAINED IN THIS AGREEMENT OR MADE THE BASIS OF THIS AGREEMENT IS FOR THE SOLE PURPOSE OF IDENTIFYING THE GOODS, AND NO DESCRIPTION OF THE GOODS HAS BEEN MADE PART OF THE BASIS OF THE BARGAIN OR HAS CREATED AN EXPRESS WARRANTY THAT THE GOODS WOULD CONFORM TO ANY DESCRIPTION MADE BY SELLER. NO SAMPLE OR MODEL HAS BEEN MADE PART OF THE BASIS OF THIS AGREEMENT OR HAS CREATED OR AMOUNTED TO AN EXPRESS WARRANTY THAT THE GOODS WOULD CONFORM TO ANY SAMPLE OR MODEL EXHIBITED BY SELLER.

This warranty does not apply to salt-water applications or applications in which the coating is exposed to corrosive chemicals. The warranty does not apply to decks or pressure treated lumber or bathroom showers or tubs. The warranty does not apply to improper subsurface conditions such as rotten wood, improper concrete mixes and similar conditions which would cause lack of adhesion are also not covered under this warranty.

Citadel Floor Finishing Systems does not warrant that the coating system will create a slip resistant surface. The surface may become slippery under certain conditions including but not limited to exposure to wet, oily or greasy conditions. In no event shall Citadel Floor Finishing Systems, be responsible for injury incurred in a slip and fall occurrence. It is the purchaser's responsibility to provide for their own safety and the safety of their guests and invitees.

This warranty is granted to the original purchaser or end-user and is not transferable to any other party nor to a subsequent purchaser of the property.

This Limited Material Warranty will be effective pending the acceptance of the installed system by all parties, and after all paperwork and payment requirements have been met. This Material Limited Warranty supersedes any and all other warranties or representations whether written or oral, hereto made between the parties.

This executed Material Limited Warranty Agreement, along with proof of payment to an authorized Citadel Floor Finishing Systems' installer, shall be returned to Citadel Floor Finishing Systems, attention Warranty Department, located at 3001 103rd Lane, NE Blaine, MN, 55449, within 30 days of acceptance of the installed coating system.

Purchaser Acknowledgment:

Received, Read, & Acknowledged, by:

By: _____ Date: _____

Installer Acknowledgement:

Received, Read, & Acknowledged, by:

Authorized Citadel Floor Finishing Systems installer:

By: _____ Date: _____

Materials Used: (Section Must Be Completed To Verify CFFS Products)

Lot Number: _____

Lot Number: _____

Lot Number: _____

Lot Number: _____

Lot Number: _____